

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-17. (Cancelled)

18. (Currently Amended) A video display appliance, comprising:

a display screen;

a processor that generates a display signal which is output to the display screen, wherein the display signal causes the display screen to show a main picture and a sub-picture that is superimposed on the main picture;

a key input unit coupled to the processor, wherein a user can manipulate buttons on the key input unit to instruct the processor to take certain actions; and

an on-screen display (OSD) generator, coupled to the processor, which causes the processor to generate ~~an a sub-picture OSD adjustment menu that is superimposed on the main picture based on a first input received from the key input unit, or on the sub-picture based on a second input received from the key input unit, wherein the sub-picture OSD adjustment menu includes a function control display section and a level adjustment display section, wherein the level adjustment display section displays at least two arrows, each of the at least two arrows being oriented in one of a left, right, upward or downward direction, and wherein the user can~~

manipulate the ~~buttons on the key input unit~~ at least two arrows displayed by the level adjustment display section to select options on the sub-picture OSD adjustment menu, ~~which is used to~~ change characteristics of the sub-picture, wherein the ~~OSD generator processor~~ displays an amount of change in a selected characteristic of the sub-picture ~~as the user manipulates the key input unit.~~

19. (Cancelled)

20. (Currently Amended) The video display appliance of claim 18, wherein the sub-picture OSD adjustment menu can be used to adjust a size, a position, a brightness or contrast of the sub-picture.

21. (Currently Amended) The video display appliance of claim 18, wherein the sub-picture OSD adjustment menu includes a graphical display icon that indicates a current setting of a characteristic of the sub-picture.

22-29. (Cancelled)

30. (Currently Amended) The video display appliance of claim 18, wherein the sub-picture OSD adjustment menu can be used to change characteristics of the sub-picture

independent of the main picture.

31. (Cancelled)

32. (New) The video display appliance of claim 18, wherein the sub-picture OSD adjustment menu is superimposed at a first location on the main picture based on a first input received from the key input unit, or at a second location on the sub-picture based on a second input received from the key input unit, wherein the first and second locations are set by a user.

33. (New) The video display appliance of claim 18, wherein the processor adjusts the appearance of the sub-picture independent from an appearance of the main picture.

34. (New) The video display appliance of claim 18, wherein the level adjustment display section of the sub-picture OSD adjustment menu indicates an amount of adjustment in a vertical direction or a horizontal direction in accordance with a sub-picture function selected by a user.

35. (New) The video display appliance of claim 18, wherein the at least two arrows comprises a first arrow that points in the right direction and a second arrow that points in the left direction, or a first arrow that points in the downward direction and a second arrow that points in the upward direction.

Serial No. **10/772,337**

Docket No. **IPS-0017**

Amdt. dated **September 15, 2009**

Reply to Office Action of **June 19, 2009**

36. (New) The video display appliance of claim 35, wherein the first arrow corresponds to a decrease in the selected characteristic, and the second arrow corresponds to an increase in the selected characteristic.